Application No.: 09/820,154 4 Docket No.: 09450/000K686-US0

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **LISTING OF CLAIMS**

- 1. (Canceled)
- 2. (Canceled)
- 3. (Canceled)
- 4. (Currently amended) An image capturing apparatus as claimed in claim 1 22, wherein:

said first image capturing device is used for still image recording, and said second image capturing device is used for capturing moving images; said second image capturing device also providing preliminary measurement for use in still image recording.

5. (Currently amended) An image capturing apparatus as claimed in claim 2 23, wherein:

said first image capturing device is used for still image recording, and said second image capturing device is used for capturing moving images; said second image capturing device also providing preliminary measurement for use in still image recording.

6. (Currently amended) An image capturing apparatus as claimed in claim 3 24, wherein:

said first image capturing device is used for still image recording, and said second image capturing device is used for capturing moving images;

said second image capturing device also providing preliminary measurement for use in still image recording.

Application No.: 09/820,154 5 Docket No.: 09450/000K686-US0

7. (Currently amended) An image capturing apparatus as claimed in claim 4 22, further comprising:

at least one said first and second optical system for systems directing light representing an image of a subject to said first and said second image capturing means devices;

a <u>said</u> recording means for recording data of images captured by said first image capturing <u>means</u> <u>device</u> as still images and for recording data of images captured by said second image capturing <u>means</u> <u>device</u> as moving images; and

a display means for displaying image data.

8. (Currently amended) An image capturing apparatus as claimed in claim 2 23, further comprising:

at least one said first and second optical system for systems directing light representing an image of a subject to said first and said second image capturing means devices;

a <u>said</u> recording means for recording data of images captured by said first image capturing <u>means</u> <u>device</u> as still images and for recording data of images captured by said second image capturing <u>means</u> <u>device</u> as moving images; and

a display means for displaying image data.

9. (Currently amended) An image capturing apparatus as claimed in claim 3 24, further comprising:

at least one said first and second optical system for systems directing light representing an image of a subject to said first and said second image capturing means devices;

a <u>said</u> recording means for recording data of images captured by said first image capturing <u>means</u> <u>device</u> as still images and for recording data of images captured by said second image capturing <u>means</u> <u>device</u> as moving images; and

a display means for displaying image data.

Docket No.: 09450/000K686-US0

Application No.: 09/820,154

6 .

10. (Currently amended) An image capturing apparatus as claimed in claim 4, further comprising:

at least one said first and second optical system for systems directing light representing an image of a subject to said first and said second image capturing means devices;

- a <u>said</u> recording means for recording data of images captured by said first image capturing <u>means</u> <u>device</u> as still images and for recording data of images captured by said second image capturing <u>means</u> <u>device</u> as moving images; and
  - a display means for displaying image data.
- 11. (Currently amended) An image capturing apparatus as claimed in claim 5, further comprising:

at least one said first and second optical system for systems directing light representing an image of a subject to said first and second image capturing means devices;

- a <u>said</u> recording means for recording data of images captured by said first image capturing <u>means</u> <u>device</u> as still images and for recording data of images captured by said second image capturing <u>means</u> <u>device</u> as moving images; and
  - a display means for displaying image data.
- 12. (Currently amended) An image capturing apparatus as claimed in claim 6, further comprising:

at least one said first and second optical system for systems directing light representing an image of a subject to said first and second image capturing means devices;

- a <u>said</u> recording means for recording data of images captured by said first image capturing <u>means</u> <u>device</u> as still images and for recording data of images captured by said second image capturing <u>means</u> <u>device</u> as moving images; and
  - a display means for displaying image data.

Application No.: 09/820,154 7 Docket No.: 09450/000K686-US0

13. (Currently amended) An image capturing apparatus as claimed in claim 4 22,

wherein said first image capturing means device is a CCD solid image capturing device of the

full-frame transfer type.

14. (Currently amended) An image capturing apparatus as claimed in claim 2 23,

wherein said first image capturing means device is a CCD solid image capturing device of the

full-frame transfer type.

15. (Currently amended) An image capturing apparatus as claimed in claim 3 24,

wherein said first image capturing means device is a CCD solid image capturing device of the

full-frame transfer type.

16. (Currently amended) An image capturing apparatus as claimed in claim 4 22,

wherein said second image capturing means device includes a CMOS-type solid image capturing

device.

17. (Currently amended) An image capturing apparatus as claimed in claim 2 23,

wherein said second image capturing means device includes CMOS-type solid image capturing

device.

18. (Currently amended) An image capturing apparatus as claimed in claim 3 24,

wherein said second image capturing means device includes a CMOS-type solid image capturing

device.

19. (Canceled)

20. (Canceled)

21. (Canceled)

Docket No.: 09450/000K686-US0

Application No.: 09/820,154

22. (Currently amended) An image capturing apparatus as claimed in claim 1, wherein comprising:

8 .

a first image capturing device;

said first image capturing device having a first characteristic;

a second image capturing device;

said second image capturing device having a second characteristic;

said first and second characteristics being different;

a recording means for recording image data;

a processing means for processing data of images captured by said first image capturing device and data of images captured by said second image capturing device in such a manner that the two types of images are treated as individual images that are independent of each other;

said image capturing apparatus includes a first optical system and a second optical system;

said first optical system supplying image data to said first image capturing means device; said second optical system supplying image data to said second image capturing means device; and

said processing means correcting a difference in image capturing position between said first optical system and said second optical system.

23. (Currently amended) An image capturing apparatus as claimed in claim 2, wherein comprising:

a first image capturing device;

a second image capturing device having characteristics different from those of said first image capturing device;

a recording means for recording image data;

a processing means for processing data of images captured by said first image capturing device as still images and data of images captured by said second image capturing device as still images or moving images;

Docket No.: 09450/000K686-US0

Application No.: 09/820,154

said image capturing apparatus includes a first optical system and a second optical system;

9 -

said first optical system supplying image data to said first image capturing means device; said second optical system supplying image data to said second image capturing means device; and

said processing means correcting a difference in image capturing position between said first optical system and said second optical system.

24. (Currently amended) An image capturing apparatus as claimed in claim 3, wherein comprising:

a first image capturing device;

a second image capturing device having characteristics different from those of said first image capturing device;

a recording means for recording image data;

a processing means for processing data of images captured by said first image capturing device as still images and data of images captured by said second image capturing device as moving images;

said image capturing apparatus includes a first optical system and a second optical system;

said first optical system supplying image data to said first image capturing means device; said second optical system supplying image data to said second image capturing means device; and

said processing means correcting a difference in image capturing position between said first optical system and said second optical system.

25. (Currently amended) An image capturing apparatus according to claim 4 22, wherein:

said image capturing apparatus including first and second optical systems; said first optical system supplying image data to said first image capturing device; Application No.: 09/820,154 10 Docket No.: 09450/000K686-US0

said second optical system supplying image data to said second image capturing device; said first and second optical systems having lines of sight displaced a distance apart; and said processing means including means for calculating a range to an object based on known parameters of said distance and a zoomed field angle.

26. (Currently amended) An image capturing apparatus according to claim 1 22, wherein:

said image capturing apparatus including first and second optical systems;
said first optical system supplying image data to said first image capturing device;
said second optical system supplying image data to said second image capturing device;
said first and second optical systems having lines of sight displaced a distance apart; and
said processing means including means for adjusting at least one of a dimension and a
lateral displacement of an image captured by one of said first and second image capturing
devices to match an image captured by the other thereof.